

GSTIN NO.03AAAFD5602K2ZV Ph.:01823-222021, Email:dcsm\_nsr@yahoo.com  
The Nawanshahr Cooperative Sugar Mills Limited, Nawanshahr (Punjab)

### TENDER FORM

Sealed Tenders are invited from Manufacturers/Authorised Dealers for the purchase of following Items.

| S.No. | Description of material.                                                                                                                                        | Quantity.                                                                 | Rate. |
|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------|-------|
|       | <b>RUBBER MATERIAL</b>                                                                                                                                          |                                                                           |       |
| 1.    | Synthetic Rubber Strip with Nylone reinforced for Juice Heater<br>-do- ½"(13 mm) Square<br>-do- 15 mm Square<br>-do- for duplex heater as per drg.              | 250 Mtrs.<br>100 Mtrs.<br>100 Mtrs.                                       |       |
| 2.    | Silicon butyl rubber seat for pan cutover valve size 300 mm OD x 125 mm ID x 20 mm thick suitable for 150° Temp.                                                | 40 Nos.                                                                   |       |
| 3.    | Neoprene Rubber Hydraulic Bucket for 30"x 60" TEW Mill Rubber Hardness 75-80 shore as per Drg.No.M-280                                                          | 50 Nos.                                                                   |       |
| 4.    | Synthetic rubber strip nylon reinforced for vibro screen, as per sample.                                                                                        | 100 mtr.                                                                  |       |
| 5.    | Neoprene Rubber flexible coupling for sugar grader (taper size) as per drg.No.B-373                                                                             | 6 Nos.                                                                    |       |
| 6.    | b) Fig.No.1 (Sr.No.2) -do-                                                                                                                                      | 24 Nos.                                                                   |       |
|       | c) Fig.No.2 (Sr.No.1) -do-                                                                                                                                      | 24 Nos.                                                                   |       |
|       | d) Fig No.2 (Sr.No.2) -do-                                                                                                                                      | 12 Nos.                                                                   |       |
| 7.    | Rubber Plug suitable for Vacuum Pan Tubes (Tube size OD 102 mm x ID 98 mm)                                                                                      | 200 Nos.                                                                  |       |
| 8.    | Rubber Plug suitable for Quad Body tubes (Tube size OD 45 mm x ID 42 mm)                                                                                        | 200 Nos.                                                                  |       |
| 9.    | Rubber Seat for Quad Man Hole O.D. 530 MM, I.D.440 MM x 15 MM thick.                                                                                            | 8 pcs.                                                                    |       |
| 10.   | Heat resistant 100 ° C Neoprene Rubber seat for J.H. Double Beat valve 230 MM O.D. x 25 MM Bore x 12 MM thick.<br>-Do- 200 mm OD x 25 mm bore x 12 mm thickness | 50 pcs.<br>15 Pcs                                                         |       |
| 11.   | Hear resistant 125 °C rubber seat for telescope valve of dorr O.D. 205 MM, I.D.160 MM x 22 MM thick.<br>-do- O.D. 174 mm, ID 142 mm x 17 mm thick               | 06 pcs.<br>12 Nos.                                                        |       |
| 12.   | EPDM spare rubber seat for rubber seated valve<br>OD Bore thickness<br>70 10 10<br>100 25 10<br>125 25 13<br>150 60 15<br>175 25 15<br>235 100 15<br>275 100 15 | 12 Nos.<br>12 Nos.<br>20 Nos.<br>12 Nos.<br>20 Nos.<br>12 Nos.<br>06 Nos. |       |
| 13.   | PVC star for NHEC 1250 kg. Cfg. machine (As per drg.)                                                                                                           | 03 Nos.                                                                   |       |

Note:-The quantity of material may increase or decrease at the time of order.

Contd:-2-

| S.No.  | Description of material.                                                      |      |        | Quantity. | Rate. |
|--------|-------------------------------------------------------------------------------|------|--------|-----------|-------|
| 14.    | PVC star for B/W and WIL make 3 speed & 4 speed Cfg.                          |      |        | 8 Nos.    |       |
| 15.    | (RUBBER BUSH MM SIZE)                                                         |      |        |           |       |
|        | I.D.                                                                          | O.D. | Length |           |       |
| a.     | 18                                                                            | 32   | 32     | 200 Nos.  |       |
| b.     | 15                                                                            | 32   | 25     | 100 Nos.  |       |
| c.     | 19                                                                            | 40   | 50     | 100 Nos.  |       |
| d.     | 15                                                                            | 25   | 50     | 100 Nos.  |       |
| e.     | 19                                                                            | 32   | 32     | 100 Nos.  |       |
| f.     | 28                                                                            | 50   | 60     | 100 Nos.  |       |
| g.     | 18                                                                            | 30   | 32     | 100 Nos.  |       |
| h.     | 20                                                                            | 35   | 35     | 100 Nos.  |       |
| i.     | 19                                                                            | 38   | 50     | 50 Nos.   |       |
| J      | 15                                                                            | 38   | 38     | 24 Nos.   |       |
| k.     | 15                                                                            | 25   | 25     | 100 Nos.  |       |
| l.     | 19                                                                            | 38   | 38     | 50 Nos.   |       |
| m.     | 32                                                                            | 32   | 19     | 50 Nos.   |       |
| n.     | 32                                                                            | 30   | 16     | 50 Nos.   |       |
| o.     | 35                                                                            | 38   | 16     | 50 Nos.   |       |
| p.     | 05                                                                            | 25   | 16     | 50 Nos.   |       |
|        | EPDM Rubber seat Acid proof & heat resistance for 200°C.                      |      |        |           |       |
| 16. a) | For 60 Ton Pan No.2 & 3 as per Drg.No.B-371                                   |      |        | 2 Nos.    |       |
| b)     | For 35 Ton Pan as per Drg.No.B-359                                            |      |        | 2 Nos.    |       |
| c)     | For 40 Ton Pan as per Drg.No. B.389                                           |      |        | 2 Nos.    |       |
| d)     | Discharge valve of Pan-1 Drg. No. P1D                                         |      |        | 02 Nos.   |       |
| 17.    | Pan – 1 exhaust & vapour valve Drg. No. P3                                    |      |        | 02 Nos.   |       |
| 18.    | Pan - 2 & 3 exhaust & vapour valve Drg. No. P4                                |      |        | 02 Nos.   |       |
| 19.    | Pan – 4,7 & 8 exhaust valve & Pan 4 & 9 vapour valve Drg. No. P1              |      |        | 05 Nos.   |       |
| 20.    | Pan no. 5 & 6 exhausts valve Drg. No. P2                                      |      |        | 02 Nos.   |       |
| 21.    | Pan – 9 exhaust valve Drg. No. P5                                             |      |        | 02 Nos.   |       |
| 22.    | Pan – 2 to 9 manhole Drg. No. P6                                              |      |        | 05 Nos.   |       |
| 23.    | Pan – 5 to 8 vapour valve drg. No. P – 7                                      |      |        | 04 Nos.   |       |
| 24.    | J.H. 1 & 4 all 4 nos. vapour valve Drg. No. JH1                               |      |        | 04 Nos.   |       |
| 25.    | J.H. 1 & 4 exhaust valve Drg. No. JH2                                         |      |        | 02 Nos.   |       |
| 26.    | J.H. 2 & 3 all 3 nos. vapour valves Drg. No. JH3                              |      |        | 03 Nos.   |       |
| 27.    | J.H. 3 small vapour valve Drg. No. JH4                                        |      |        | 02 Nos.   |       |
| 28.    | Dynamic J.H. vapour outlet valve Drg. JH5                                     |      |        | 02 Nos.   |       |
| 29.    | J.H. 2 & 3 exhaust valve Drg. No. JH6                                         |      |        | 02 Nos.   |       |
| 30.    | Dynamic J.H. inlet valve (from 2 <sup>nd</sup> body) Drg. No. JH7             |      |        | 02 Nos.   |       |
| 31.    | All three vapour valve from (SK small & 500 m <sup>2</sup> body) Drg. No. JH8 |      |        | 03 Nos.   |       |
| 32.    | Clear J.H. vapour valve Drg. No. JH9                                          |      |        | 02 Nos.   |       |
| 33.    | Clear J.H. exhaust valve Drg. No. JH10                                        |      |        | 02 Nos.   |       |
| 34.    | Exhaust valve quad – 1 Drg. No. Q4                                            |      |        | 02 Nos.   |       |
| 35.    | Quad -2 vapour valve (from 1 <sup>st</sup> body) Drg. No. Q3                  |      |        | 02 Nos.   |       |

Contd:-3-


|     |                                                  |     |           |         |  |
|-----|--------------------------------------------------|-----|-----------|---------|--|
| 36. | S.K. (big) exhaust valve Drg. No. Q6             |     |           | 02 Nos. |  |
| 37. | Quad -3 vapour valve Drg. No. Q1                 |     |           | 02 Nos. |  |
| 38. | Exhaust valve from mill house to Pan Drg. no. Q2 |     |           | 02 Nos. |  |
| 39. | OD                                               | ID  | Thickness |         |  |
|     | 450 mm                                           | 330 | 20        | 02 Nos. |  |
|     | 500 mm                                           | 380 | 20        | 02 Nos. |  |
|     | 750 mm                                           | 600 | 20        | 02 Nos. |  |
|     | 950 mm                                           | 800 | 25        | 02 Nos. |  |
|     | 1040 mm                                          | 900 | 25        | 02 Nos. |  |


Note:-The quantity of material may increase or decrease at the time of order. .

### TERMS AND CONDITIONS

1. Last date for receipt of tender is 16/09/24 upto 5.00 P.M. Which will be opened and negotiations will be held on 18/09/24 at 10.00 A.M. with the lowest quote only, if required.
2. Material offered should be strictly as per our specifications and in the Tender Form issued by the Mills only.
3. Minimum delivery period must be mentioned.
4. One Percent Penalty per week of delay subject to maximum of 5% will be imposed or as decided by the purchase committee at time of negotiation.
5. 100% payment will be made after quality inspection of material or as decided by the purchase committee at the time of negotiation.
6. Rates should be FOR Mills, P&F, if applicable should be mentioned separately in percentage.
7. The envelope of tender should be subscribed as Tender for **Rubber Material**.
8. The undersigned reserves the right to reject/accept any or all tenders without assigning reasons.

  
A.E.(M)

  
General Manager

  
C.E.